

Eaton 170M1520

Catalog Number: 170M1520

Fuse-link, high speed, 200 A, AC 690 V, size 000, 24 x 36 x 96 mm, aR, IEC, visual indicator



General specifications

Product Name	Catalog Number
Eaton Bussmann series high speed square body fuse	170M1520
	Model Code
	FUSE 200A 690V 000F/70 AR UR
UPC	EAN
051712217163	5027590441131
Product Length/Depth	Product Height
140 mm	43 mm
Product Width	Product Weight
101 mm	152.4 g
Warranty	Compliances
Not Applicable	Contact factory
	RoHS Compliant

defaultTaxonomyAttributeLabel

Type

Fuse

Application

semiconductor protection

Amperage Rating

200 A

Breaking capacity

200 kA

Fuse indicator

Top fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

000

Rated voltage AC

690 V

Center-to-center distance of connections

73.8 mm

Current type

AC

Mounting dimension

M8

Class

Class aR

Watt losses

37 W

Fuse shape

Square body, offset bolted tags

Color

None

Interrupt rating

Resources

Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

[170M1520~Eaton Bussmann series high speed square body fuse](#)

[Bussmann series complete full line catalog no. 1007](#)

Compliance information

[UKCA 170M size 000 10A to 315A](#)

[CE 170M size 000 10A to 315A](#)

200 kAIC

Construction size

000

Packaging type

Standard

Voltage rating

690 V

Fuse type

Bolted tag

Fuse system (according to IEC 60269)

Other



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia