

Eaton 170M5406

Catalog Number: 170M5406

Fuse-link, high speed, 250 A, AC 660 V, size 2, 59 x 59 x 77 mm, aR, IEC, UL, single indicator

General specifications



Product Name

Eaton Bussmann series high speed
square body fuse

Catalog Number

170M5406

UPC

051712551717

EAN

5027590456975

Product Length/Depth

168 mm

Product Height

80 mm

Product Width

124 mm

Product Weight

300 g

Compliances

CE
RoHS Compliant
EAC

Certifications

IEC 60269-4

Type

Fuse

Application

semiconductor protection

Amperage Rating

250 A

Breaking capacity

125 kA

Fuse indicator

Centre fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

2

Rated voltage AC

660 V

Center-to-center distance of connections

50.3 mm

Current type

AC

Mounting dimension

M10

Class

Class aR

Watt losses

54 W

Fuse shape

Square body, flush end contacts

Color

None

Interrupt rating

Catalogs

[eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf](#)

125 kAIC

Construction size

2

Packaging type

Standard

Voltage rating

660 V

Fuse type

Flush end

Fuse system (according to IEC 60269)

IEC 60269-4 flush end connections type A



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia